國立勤益科技大學九十八學年度研究所碩士班招生筆試試題卷

所別: 化工與材料工程系碩士班

組別:材料科技組

科目: 有機化學

准考證號碼:0000000(考生自填)

考生注意事項:

一、考試時間 100 分鐘。


= \

() 1. CH₃CH₂OCH₂CH₃ and CH₃CH₂CH₂CH₂OH are examples of what are now termed: (4)

CANAGE TO

- A) Structural isomers
- B) Resonance structures
- C) Functional isomers
- D) Empirical isomers
- E) Constitutional isomers
- () 2. Which compound would you expect to have the highest boiling point? (4)
 - A) CH₃OCH₂CH₂OCH₃
 - B) CH₃OCH₂OCH₂CH₃
 - C) HOCH₂CH₂CH₂CH₂OH
 - D) CH₃OCH₂CH₂CH₂OH
 - E) (CH₃O)₂CHCH₃

() 3. Which compound is a bicycloheptane? (4)



A) I B) II C) III D) IV E) V

) 4. The structures
	and
	represent: (4)
	A) a single compound.
	B) enantiomers.
	C) meso forms.
	D) diastereomers.
	E) conformational isomers.
() 5. Elimination reactions are favored over nucleophilic substitution reactions: (4)
	A) at high temperatures.
	 B) when <u>tert</u>-butoxide ion is used. C) when 3° alkyl halides are used as substrates.
	D) when nucleophiles are used which are strong bases and the
	substrate is a 2° alkyl halide.
	E) in all of these cases.
() 6. Which is the weakest nucleophile in polar aprotic solvents? (4) A) I B) Br C) Cl D) F
() 7. $S_N 2$ reactions of the type, $Nu^- + R - L \rightarrow Nu - R + L^-$ are favored: (4)
	A) When tertiary substrates are used.
	B) When primary substrates are used.
	C) When the leaving group, L, is a strong base.
	D) by more than one of the above.
	E) by none of the above.
(() 8. Rearrangements are likely to occur in which of the following
	reaction types? (4)
	A) $S_N 1$ reactions
	B) $S_N 2$ reactions
	C) El reactions
	D) E2 reactions

- E) Both S_N1 and E1 reactions
- () 9. The reactions of lithium di-<u>sec</u>-butylcuprate with isopentyl bromide yields: (4)
 - A) 2,5-Dimethylheptane
 - B) 2,6-Dimethylheptane
 - C) 3,5-Dimethylheptane
 - D) 3,4-Dimethylheptane
 - E) 3,6-Dimethylheptane
- () 10. Which of the following would you expect to be aromatic? (4)

A) I B) II C) III D) IV E) V

- 11. Draw structures corresponding to the following IUPAC names: (20)
- (a) 4, 4-Dimethylpent-2-ene
- (b)p-Iodonitrobenzene
- (c) trans-3-Ethylcyclohexanol
- (d) Ethyl isopropyl ether
- (e) 3, 5-dinitrobenzaldehyde
- (f) Acetamide
- 12. Please fill in the missing reagents a-f in the following scheme: (20)

- 13. Carvone is the major constituent of spearmint oil (綠薄荷油). What products would you expect from the reaction of carvone with the following reagents? (20)
- (a) LiALH₄ / H₃O⁺ (b) C₆H₅MgBr / H₃O⁺ (c) H₂ / Pd catalyst (d) CH₃OH / H⁺.